

### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application.

#### Listing of Claims:

1. (Currently Amended) A method of editing multimedia pages on a terminal, comprising: in which

supplying, from a server supplies to at least one terminal, one or more terminals with at least some of said multimedia pages in [[the]] a form of object arrangement instructions, in order to arrange objects in a graphic scene, each object being for objects identified by a set of associated parameters[[,]];

~~characterized in that the method comprises:~~

a) ~~at least a preliminary step during which the transmitting, from the server, transmits at least a part some of the said set of associated parameters associated with an object, and an instruction to store said part of said set of associated parameters in a terminal-memory of the terminal; and~~

b) ~~and at least a main step during which the transmitting, from the server, transmits a simple an instruction to restore said part of said set of associated parameters previously stored in said terminal-memory of the terminal, to edit at least one multimedia page in which said an object identified by said set of associated parameters occurs.~~

2. (Currently Amended) The method as claimed in claim 1, ~~characterized in that wherein the step b) alone instruction to restore~~ is repeated to edit a number of multimedia pages in which said object occurs.

3. (Currently Amended) The method as claimed in ~~claimsclaim~~ 1 and 2, ~~characterized in that wherein~~ said parameters comprise at least declarative attributes of an arrangement of the object in a multimedia page.

4. (Currently Amended) The method as claimed in claim 3, ~~characterized in that wherein~~ said parameters also include an identifier of a memory area of the terminal allocated to store said attributes.
5. (Currently Amended) The method as claimed in claim 4, ~~characterized in that wherein~~ the restore instruction includes the identifier of said memory area to retrieve said attributes.
6. (Currently Amended) The method as claimed in ~~one of the preceding claims~~ claim 1, further comprising: ~~characterized in that it also comprises an end of editing step for multimedia pages including said object, a step in which the server transmits to the terminal~~  
transmitting, from the server to the at least one terminal, an instruction to delete the said part of said set of associated parameters, to edit at least one multimedia page in which said object identified by said set of associated parameters occurs. ~~associated with said object.~~
7. (Currently Amended) The method as claimed in claim 6, taken in combination with claim 5, ~~characterized in that wherein~~ the instruction to delete ~~instruction~~ includes the identifier of said memory area of the terminal to delete from said memory area the set of associated parameters ~~associated with the object.~~
8. (Currently Amended) The method as claimed in ~~one of the preceding claims~~ claim 1, ~~characterized in that wherein~~ said instructions are transmitted in packets from the server to the terminal.
9. (Currently Amended) The method as claimed in ~~one of the preceding claims~~ claim 1, ~~characterized in that wherein~~ said instructions are in the form of commands corresponding to low-level functions.
10. (Currently Amended) The method as claimed in ~~one of the preceding claims~~ claim 1, ~~characterized in that wherein~~ the at least one terminal is a mobile terminal arranged to cooperate with a cellular network.

11. (Currently Amended) The method as claimed in ~~one of claims claim 1 to 10~~, characterized ~~in that wherein~~ said object is a graphic object comprising at least one of the following elements:

- [[ - ]] an image,
- [[ - ]] a sequence of images,
- [[ - ]] a sequence of 2D synthetic images, and
- [[ - ]] [[and]] a sequence of 3D synthetic images.

12. (Currently Amended) A computer readable medium storing a program product in the form of computer code, ~~characterized in that wherein it said program product~~ includes an instruction to store, in a memory of a terminal, at least one parameter ~~parameters~~ of at least one object intended to be arranged, according to said ~~parameter~~ ~~parameters~~, in a multimedia page suitable for editing on said terminal.

13. (Currently Amended) A computer readable medium storing a program product in the form of computer code, wherein said ~~program product~~ A program product in the form of computer code, ~~characterized in that it includes an instruction to restore~~ at least one parameter ~~parameters~~ previously stored in a memory of a terminal, ~~said at least one parameter~~ these parameters being associated with at least one object intended to be arranged, according to said ~~parameter~~ ~~parameters~~, in a multimedia page suitable for editing on said terminal.

14. (Currently Amended) A computer readable medium storing a program product in the form of computer code, wherein said ~~program product~~ A program product in the form of computer code, ~~characterized in that it includes an instruction to delete~~ at least one parameter ~~parameters~~ previously stored in a memory of a terminal and associated with at least one object to be arranged, according to said ~~at least one parameter~~ ~~parameters~~, in a multimedia page edited on said at least one terminal.

15. (Currently Amended) A computer readable medium storing a signal comprising a computer code, ~~characterized in that wherein the said~~ code contains an instruction to store, in a memory of a terminal, at least one parameter ~~parameters~~ of at least one object intended to be arranged,

according to said at least one parameter~~parameters~~, in a multimedia page suitable for editing on said terminal.

16. (Currently Amended) A computer readable medium storing a signal comprising a computer code, ~~characterized in that wherein~~ the code includes an instruction to restore at least one parameter~~parameters~~ previously stored in a memory of a terminal, ~~these said at least one parameter~~ ~~parameters~~ being associated with at least one object intended to be arranged, according to said at least one parameter~~parameters~~, in a multimedia page suitable for editing on said terminal.

17. (Currently Amended) A computer readable medium storing a signal comprising a computer code, ~~characterized in that wherein~~ the code includes an instruction to delete at least one parameter~~parameters~~ previously stored in a memory of a terminal and associated with at least one object to be arranged, according to said at least one parameter~~parameters~~, in a multimedia page edited on said terminal.